



UL Online Certifications Directory

[Home](#) [Quick Guide](#) [Contact Us](#) [UL.com](#)

YDPU2.E245418 Tubing, Extruded Insulating - Component

[Page Bottom](#)

Tubing, Extruded Insulating - Component

[See General Information for Tubing, Extruded Insulating - Component](#)

KOREA ACE TECH CO LTD

E245418

240-6 NAEHYANGRO JEONGNAM-MYEON

HWASEONG-SI, GYEONGGI-DO REPUBLIC OF KOREA

Cat. No.	Max V	Max Oper Temp	Shrinkdown Class	Col Recognized	Max Temp Rated Oil Resistance * C	VW-1 Rated #
Heat shrinkable polyolefin.						
RSFR-H	600	125	—	All except Clear	None	Yes
Cat. No.	Max V, rms	Max Oper Temp, °C	Col Recognized	Oil-resistance Class*	VW-1 Rated#	
Flexible Heat Shrinkable Polyolefin tubing.						
S-JIN ACE-TUBING	600	125	All except Clear	—	Yes	

*Tubing is considered to comply with the optional oil resistant requirements only if it is so marked.

Tubing is considered to comply with the optional VW-1 flammability requirements only if it is so marked.

Marking: Company name or file number "E245418", catalog designation, voltage rating, temperature rating in degrees C, inside diameter (before and after recovery) and date of manufacture shall appear on tags attached to both ends of the tubing or on the shipping spool label or smallest unit container.

[Last Updated](#) on 2013-03-13

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2014 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2014 UL LLC".