



Number: 252340132/AA/00

Issue Date: 06 August 2025

Expiration Date: -

Page 1 of 6

UKCA TYPE EXAMINATION CERTIFICATE (Module B)

In compliance with the procedure specified in M009, Kiwa Ltd. declares as approved body for UKCA 0558 for the Radio Equipment Regulations 2017, that the stated product, complies with the essential requirements, in accordance with part 2 (chapter 1) of Radio Equipment Regulations, as indicated under Annex 1 of this certificate, based on the applicable Technical Standards and Specifications as listed under Annex 2 of this Certificate.

Product description:

Developer Kit

Trademark:

NVIDIA

Type designation:

P4070

This certificate is granted to manufacturer:

Name:

NVIDIA Corporation

Address:

2788 San Tomas Expressway

City:

95051 Santa Clara, California

Country:

United States

This certificate remains valid as long as the stated product stays in compliance with the essential requirements of the Radio Equipment Regulations 2017.

This certificate has THREE Annexes.

Signed on behalf of Kiwa Ltd.
(UK Approved Body Number 0558)

Gürhan Vural
Product Assessor

**UK
CA**

Kiwa Ltd.
Kiwa House
Malvern View Business Park
Stella Way
Bishops Cleeve
Cheltenham
GL52 7DQ
United Kingdom
T +44 (0)1242 677877
F +44 (0)1242 676506
www.kiwa.co.uk

Chamber of commerce
3473056



0217

UKCA Type Examination Certificate (page 2 of 6)

Annex 1 to certificate 252340132/AA/00

General Conditions

For each product to which this type examination relates, it has complied to the essential requirements as follows:

Article 6.1

Radio equipment shall be constructed so as to ensure:

- C (a) the protection of health and safety of persons and of domestic animals and the protection of property, including the objectives with respect to safety requirements set out in the Electrical Equipment (Safety) Regulations 2016,
- C (b) an adequate level of electromagnetic compatibility as set out in the Electromagnetic Compatibility Regulations 2016.

Article 6.2

- C Radio equipment must be constructed so that it both effectively uses and supports the efficient use of radio spectrum in order to avoid harmful interference.

Legend

C	=	Conform
NC	=	Not Conform
NA	=	Not applicable (for this equipment)
NP	=	Not performed (in this statement)

UKCA Type Examination Certificate (page 3 of 6)

Annex 1 to certificate 252340132/AA/00

- This UKCA-type examination certificate is limited to the Radio Equipment Regulations.
- This UKCA-type examination certificate is part of the Conformity Assessment procedure Modules B and C, as described in annex III of the Radio Equipment Regulations.
- The validity of this UKCA type examination certificate is limited to products, which are equal to the one(s) assessed for this type Examination.
- The manufacturer has to draw up and issue a self Declaration of Conformity, declaring that the product(s) described in this UKCA-type examination certificate, are in compliance with Radio Equipment Regulations 2017 and any other applicable harmonization legislation.
- Each product shall be identified by means of type, batch and/or serial numbers and the name of the manufacturer and/or importer.
- If the equipment is to be modified, Kiwa Ltd. shall be notified immediately. Depending on the modifications, Kiwa Ltd. may have additional examinations carried out in consultation with the applicant.
- Enforcement of a new amending regulation voids the validity of this UKCA-type examination certificate.
- In case any referenced standard in this UKCA-type examination certificate is withdrawn or superseded and the presumption of conformity with the essential requirements has ceased, investigation by Kiwa Ltd. is needed to determine the validity of this type examination.

Remarks and observations

The following conditions are applicable:

Device is restricted to indoor use only when operating within 5150-5350 MHz frequency range.
DFS: Slave without radar detection.

UKCA Type Examination Certificate (page 4 of 6)

Annex 2 to certificate 252340132/AA/00

Documentation lodged for this type examination

Test Reports:

- BTL Inc.: BTL-EMC-1-2502C089, 28 July 2025
- BTL Inc.: BTL-ETSE-1-2502C089, 28 July 2025
- BTL Inc.: BTL-ETSP(UK)-1-2502C089, 25 July 2025
- BTL Inc.: BTL-ETSP-1-2502C089, 25 July 2025
- BTL Inc.: BTL-ETSP-2-2502C089, 25 July 2025
- BTL Inc.: BTL-ETSP-3-2502C089, 25 July 2025
- BTL Inc.: BTL-ETSP-4-2502C089, 25 July 2025
- BTL Inc.: BTL-ETSP (UK) -2-2502C089, 25 July 2025
- BTL Inc.: BTL-ETSP-6-2502C089, 25 July 2025
- RTL8852CE
- Sporton International Inc. Hsinchu Laboratory: EA1N0223-66AB, 24 June 2025
- Sporton International Inc. Hsinchu Laboratory: ER1N0223-66AA, 24 June 2025
- Sporton International Inc. Hsinchu Laboratory: ER1N0223-66AB, 24 June 2025
- Sporton International Inc. Hsinchu Laboratory: ER1N0223-66AC, 24 June 2025
- Sporton International Inc. Hsinchu Laboratory: ER1N0223-66AD, 24 June 2025
- Sporton International Inc. Hsinchu Laboratory: ER1N0223-66AE, 24 June 2025
- Sporton International Inc. Hsinchu Laboratory: EY1N0223-66AB, 24 June 2025
- Sporton International Inc. Hsinchu Laboratory: ER1N0223-66AF, 24 June 2025
- TÜV Rheinland (Shenzhen) Co., Ltd.: CN258H71 001, 18 June 2025
- TÜV Rheinland (Shenzhen) Co., Ltd.: CN258H71 002, 28 July 2025

Product Documentation:

- Assembly drawings
- Bill of materials
- Block diagram
- Electrical diagrams
- Internal photos
- External photos
- Manual
- Label and label placement
- Risk assessment
- Packaging information

Technical Standards and Specifications

The product is compliant with:

BS EN 50665	November , 2017	
BS EN 55032:2015+A11:2020	March, 2020	
BS EN 55032:2015+A1:2020	December, 2020	
BS EN 55035:2017+A11:2020	May, 2021	
BS EN 61000-3-3:2013+A1:2019+A2:2021		
BS EN 62368-1:2014 + A11:2017	October, 2018	
BS EN IEC 61000-3-2:2019+A1:2021+A2:2024		
BS EN IEC 62311	Feb, 2020	
EN 300 328	July, 2019	V2.2.2
EN 301 489-1	November, 2019	V2.2.3
EN 301 489-17	September, 2024	V3.3.1
EN 301 489-3	January, 2023	V2.3.2
EN 301 893	May, 2017	V2.1.1
EN 303 687	June, 2023	V1.1.1
IR 2030 - UK Interface Requirements 2030	March, 2023	

Technical features and characteristics

The product includes the following features and characteristics:

Bluetooth

- Operating frequency range: 2402-2480 MHz (79 channels)
- Maximum output power: 9.49 dBm EIRP average (calculated)
- Maximum antenna gain: 3.0 dBi

Bluetooth LE

- Operating frequency range: 2402-2480 MHz (40 channels)
- Maximum output power: 8.81 dBm EIRP average (calculated)
- Maximum antenna gain: 3.0 dBi

IEEE 802.11b/g/n/ac/ax(20/40 MHz)

- Operating frequency range: 2412-2472 MHz (13/9 channels)
- Maximum output power: 18.74 dBm EIRP average (calculated)
- Maximum antenna gain: 3.0 dBi

IEEE 802.11a/n/ac/ax(20/40/80/160 MHz)

- Operating frequency range: 5180-5240 MHz (4/2/1/1 channels)
- Maximum output power: 21.75 dBm EIRP average (calculated)
- Maximum antenna gain: 5 dBi

IEEE 802.11a/n/ac/ax(20/40/80/160 MHz)

- Operating frequency range: 5260-5320 MHz (4/2/1/1 channels)
- Maximum output power: 22.01 dBm EIRP average (calculated)
- Maximum antenna gain: 5 dBi

IEEE 802.11a/n/ac/ax(20/40/80/160 MHz)

- Operating frequency range: 5500-5700 MHz (11/5/2/1 channels)
- Maximum output power: 22.21 dBm EIRP average (calculated)
- Maximum antenna gain: 5 dBi

SRD Equipment

- Operating frequency range: 5745-5825 MHz (5/2/1 channels)
- Maximum output power: 13.46 dBm EIRP average (calculated)
- Maximum antenna gain: 5 dBi

IEEE 802.11ax(20/40/80/160 MHz)

- Operating frequency range: 5955-6415 MHz (24/12/6/3 channels)
- Maximum output power: 22.22 dBm EIRP average (calculated)
- Maximum antenna gain: 5 dBi

UKCA Type Examination Certificate (page 6 of 6)

Annex 3 to certificate 252340132/AA/00

The product as described in this type examination includes the following type designations:

- Product description: Developer Kit
- Trademark: NVIDIA
- Type designation: P4070